

PRODUCT LIST  
2017





- ✓ 46 YEARS OF WATER STORAGE INNOVATION OFFERING THE ONLY KITEMARKED TANK ON THE MARKET TODAY.
- ✓ YOU ARE FITTING AN APPROVED PRODUCT.
- ✓ LARGEST RANGE OF DOMESTIC WATER STORAGE TANKS AVAILABLE.
- ✓ WE HAVE A SIZE AND CAPACITY FOR YOU.
- ✓ FIT AND FORGET PRODUCT.
- ✓ FULLY PACKAGED FOR A PERFECT INSTALLATION.

BS4213 2004

All Polyethylene domestic water storage (loft) tanks should undergo all the stringent tests of BS4213:2004 to ensure a reliable installation.

POLYTANK are the only manufacturer to offer you BS4213:2004 on all our range of tanks.

All our manufacturing processes are controlled by ISO9001:2015 Management System

## ORDERING

Ordering your products from **Polytank** has always been easy. We hope you have found us to be extremely responsive, with a real commitment to customer service. We strive to continue in setting those standards even higher. Whatever you need from **Polytank** we are here to help.

## DELIVERY

**Polytank** has earned a reputation for its responsiveness in meeting its customers' needs for prompt delivery and we are determined this is maintained and improved. All stock orders will be delivered using **Polytank** transport on a maximum 10 working day delivery schedule. Single product orders can be taken and will be delivered within approximately 72 hours, using contract transport, where a carriage charge will apply. For further information on **Polytank** products or any aspect of the **Polytank Group** please look at our website.

[www.polytank.co.uk](http://www.polytank.co.uk)





## 55 LITRES 12 GALLONS

# 12



### 20-12-20

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	500	20
WIDTH	300	12
HEIGHT	525	20

ORDER CODE 20-12-20

### 24-16-15

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	610	24
WIDTH	410	16
HEIGHT	385	15

ORDER CODE 24-16-15

### 20-15-18

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	510	20
WIDTH	390	15
HEIGHT	460	18

ORDER CODE 20-15-18

## 68 LITRES 15 GALLONS

# 15



### 18-18-18

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	470	18
WIDTH	470	18
HEIGHT	475	18

ORDER CODE 18-18-18

### 24-12-20

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	615	24
WIDTH	305	12
HEIGHT	550	20

ORDER CODE 24-12-20

### 24-15-18

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	610	24
WIDTH	385	15
HEIGHT	460	18

ORDER CODE 24-15-18

### 24-17-17

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	610	24
WIDTH	435	17
HEIGHT	440	17

ORDER CODE 24-17-17

## 82 LITRES 18 GALLONS

# 18



### 24-12-24

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	615	24
WIDTH	310	12
HEIGHT	615	24

ORDER CODE 24-12-24

### 24-18-19

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	615	24
WIDTH	460	18
HEIGHT	480	19

ORDER CODE 24-18-19

## 91 LITRES 20 GALLONS

# 20



### 20-20-20

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	515	20
WIDTH	515	20
HEIGHT	530	20

ORDER CODE 20-20-20

### 24-15-24

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	615	24
WIDTH	380	15
HEIGHT	590	24

ORDER CODE 24-15-24

## 114 LITRES 25 GALLONS

# 25



### 27-20-20

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	711	27
WIDTH	515	20
HEIGHT	500	20

ORDER CODE 27-20-20

### 55-20-12

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	1390	55
WIDTH	500	20
HEIGHT	310	12

ORDER CODE 55-20-12





## 136 LITRES 30 GALLONS

# 30



### 24-24-24

MAX. DIMENSIONS before fixing

	MM	INCHES
LENGTH	610	24
WIDTH	590	24
HEIGHT	590	24

ORDER CODE 24-24-24

### 39-20-17

MAX. DIMENSIONS before fixing

	MM	INCHES
LENGTH	1000	39
WIDTH	500	20
HEIGHT	440	17

ORDER CODE 39-20-17

## 227 LITRES 50 GALLONS

# 50



### 46-24-19

MAX. DIMENSIONS before fixing

	MM	INCHES
LENGTH	1190	46
WIDTH	610	24
HEIGHT	500	19

ORDER CODE 46-24-19

### 36-24-23

MAX. DIMENSIONS before fixing

	MM	INCHES
LENGTH	925	36
WIDTH	600	24
HEIGHT	570	23

ORDER CODE 36-24-23

### 64-18-19

MAX. DIMENSIONS before fixing

	MM	INCHES
LENGTH	1650	64
WIDTH	460	18
HEIGHT	475	19

ORDER CODE 64-18-19

## 159 LITRES 35 GALLONS

# 35



### 30-24-23

MAX. DIMENSIONS before fixing

	MM	INCHES
LENGTH	750	30
WIDTH	570	24
HEIGHT	570	23

ORDER CODE 30-24-23

## 318 LITRES 70 GALLONS

# 70



### 64-24-19

MAX. DIMENSIONS before fixing

	MM	INCHES
LENGTH	1650	64
WIDTH	610	24
HEIGHT	500	19

ORDER CODE 64-24-19

## 190 LITRES 42 GALLONS

# 42



### 46-19-19

MAX. DIMENSIONS before fixing

	MM	INCHES
LENGTH	1185	46
WIDTH	510	19
HEIGHT	490	19

ORDER CODE 46-19-19

## 454 LITRES 100 GALLONS

# 100



### 64-26-23

MAX. DIMENSIONS before fixing

	MM	INCHES
LENGTH	1680	64
WIDTH	695	26
HEIGHT	580	23

ORDER CODE 64-26-23



## traditional PACKAGE includes ▶

- Snap on Polylid
- Polytank Byelaw 30 Kit and Fitting
- Instructions
- ½" BS1212 Ballvalve and 4½" Float
- Ballvalve Backplate
- 22mm Compression Tank Connector

- 15mm x ½" Angled Service Valve
- Insulation and Ties





POLYBLUE are New-age sizes which have been designed to suit the requirements of modern architecture.

We have branded these separately and manufactured them from blue Polymer for easy identification. They are produced to the same stringent requirements as our standard Polytanks in ISO9001:2015 quality controlled factories.

We are WRAS approved and kitemarked.



## 114 LITRES 25 GALLONS

# 25

### 32-18-19

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	615	32
WIDTH	310	18
HEIGHT	615	19



ORDER CODE 32-18-19

### 46-15-17

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	1190	46
WIDTH	380	15
HEIGHT	420	17



ORDER CODE 46-15-17

## 190 LITRES 42 GALLONS

# 42

### 46-19-19

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	1185	46
WIDTH	510	19
HEIGHT	490	19



**coming soon**  
ORDER CODE 46-19-19

## 227 LITRES 50 GALLONS

# 50

### 46-24-19

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	1190	46
WIDTH	610	24
HEIGHT	500	19



**coming soon**  
ORDER CODE 46-24-19

### 64-18-19

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	1650	64
WIDTH	460	18
HEIGHT	475	19



**coming soon**  
ORDER CODE 64-18-19

## Polyblue PACKAGE includes ▶

- Snap on Polylid
- Polytank Byelaw 30 Kit and Fitting Instructions
- 1/2" BS1212 Ballvalve and 4 1/2" Float Ballvalve Backplate
- 22mm Compression Tank Connector
- 15mm x 1/2" Angled Service Valve
- Insulation and Ties




# POLYTANK POLYCISTERN

POLYCISTERN is a traditional open top tank. It comes complete with a patented lid and fittings kit all safely stowed in the lower half of the tank. WRAS approved and Kite marked.



## easy lid fitting



### 68 LITRES 15 GALLONS



#### 30-19-15

	MAX. DIMENSIONS before fixing	
	MM	INCHES
LENGTH	860	30
WIDTH	508	19
HEIGHT	380	15

 ORDER CODE 30-19-15

### 114 LITRES 25 GALLONS




#### 30-19-19

	MAX. DIMENSIONS before fixing	
	MM	INCHES
LENGTH	860	30
WIDTH	508	19
HEIGHT	515	19

 ORDER CODE 30-19-19

### 181 LITRES 40 GALLONS



#### 46-24-17

	MAX. DIMENSIONS before fixing	
	MM	INCHES
LENGTH	1265	46
WIDTH	670	24
HEIGHT	440	17

 ORDER CODE 46-24-17

### 227 LITRES 50 GALLONS



#### 46-24-20

	MAX. DIMENSIONS before fixing	
	MM	INCHES
LENGTH	1265	46
WIDTH	670	24
HEIGHT	525	20

 ORDER CODE 46-24-20

## Polycistern PACKAGE

includes ▶

- Byelaw30 Kit and Fitting Instructions
- Click Fit Strap(s)
- Lid & Insulation and Ties



# POLYTANK PRIMARY EXPANSION

## 18 LITRES 4 GALLONS



### 18-12-12

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	480	18
WIDTH	250	12
HEIGHT	320	12

ORDER CODE 18-12-12



#### Package Includes

Snap on Polylid 2 • Ballvalve Back Plate • Screened warning Pipe Elbow  
 1/2" BS1212 Part 2 Ballvalve and 4 1/2" Float • 15mm Compression Tank Connector  
 Sealing Washer • Insulation and Ties

## 18 LITRES 4 GALLONS



### 18-12-12 BUDGET

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	460	18
WIDTH	320	12
HEIGHT	320	12

ORDER CODE  
 X10/4  
 X10/4 LID

# POLYTANK POLYOIL

## 1200 LITRES 264 GALLONS



### POLYOIL 1200SB

MAX. DIMENSIONS before fixing	
LENGTH	1700mm
WIDTH	850mm
HEIGHT	1620mm
WEIGHT	120kg
MAX. FILLING CAPACITY	
1000 Litres	

ORDER CODE  
 POLYOIL 1200SB

#### Package comes complete with

- Lockable Lids
- Fire Valve Probe and Adaptors
- Spillstop Fill Point with Automatic Cut off
- Ultrasonic Transmitter and receiver complete with Bund Alarm.
- Filter Valve & Fittings Kit (Bottom outlet only)
- Atkinson Tank Top with anti-syphon valve and filter (Top outlet only)
- Tiger Loop (De-aerator) and fittings kit (Top outlet only)

Lighter and stronger than traditional oil tanks. No deformation on fill and available with top or bottom outlet. Fully compounded approved polymer with a fully fitted package. Available in green or brown. 5 year manufacturer's guarantee.



## POLYRED 18 LITRES 4 GALLONS

The only approved insulated fully assembled primary feed and expansion tank on the market today. Just one from a range of innovative products introduced by POLYTANK.

### PolyRED

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	540	21
WIDTH	320	13
HEIGHT	350	14

ORDER CODE PolyRED



**Comes fully assembled**



PolyRed is quick and easy to install, with all components pre-fitted

# POLYTANK POLY A30

ADDITIONAL COMPONENT KITS COMPLY WITH BS4213. 2004



## A30

### package contents

- POLYTANK PolyA30 chamber with weir
- PolyA30 seal
- 10 SS screws
- J4 insulation
- Extended arm
- Fixing instructions



Polytank A30 is designed to accommodate a maximum flow rate of 62 litre/minute (i.e. BS1212 part 2 float operated valve with a No. 9 - 9.5mm (3/8" bore seat).

A maximum float size of 178mm (7") can be accommodated.

\* Type AB - Air gap with weir overflow means a non-mechanical backflow prevention arrangement of water fittings complying with type AA, except that the air gap is the vertical distance from the lowest point of the discharges into the receptacle, to the critical water level of the rectangular weir overflow

Polytank A30  
 Type 'A' AIR GAP where demanded  
 Converts all Polytanks to meet legislation



### XPA30

MAX. DIMENSIONS before fixing		
	MM	INCHES
LENGTH	375	15
WIDTH	245	10
HEIGHT	230	9

### incorporating type AB Air Gap\*

ORDER CODE XPA30







# POLYTANK MERCHANT STOCK LIST 2017

## POLYTANK TRADITIONAL

TANK SIZE	CAPACITY	TANK SIZE	CAPACITY
20-12-20	12 gallon	46-19-19	42 gallon
24-16-15	12 gallon	36-24-23	50 gallon
20-15-18	12 gallon	46-24-19	50 gallon
18-18-18	15 gallon	55-20-12	25 gallon
24-12-20	15 gallon	64-18-19	50 gallon
24-15-18	15 gallon	64-24-19	70 gallon
24-17-17	15 gallon	64-26-23	100 gallon
24-12-24	18 gallon	<b>POLYTANK SPECIAL ORDER</b>	
24-18-19	18 gallon	39-20-17	30 gallon
20-20-20	20 gallon	39-20-21	42 gallon
24-15-24	20 gallon	F23-23-28	40 gallon
27-20-20	25 gallon	F23-23-35	50 gallon
24-24-24	30 gallon	CF23-23-34	45/4 gallon
30-24-23	35 gallon	C025	25 gallon
		C050	50 gallon

## POLYTANK POLYBLUE

TANK SIZE	CAPACITY	TANK SIZE	CAPACITY
46-15-17	25 gallon	46-24-19	50 gallon
32-18-19	25 gallon	64-18-19	50 gallon
46-19-19	42 gallon		

## POLYTANK POLYCISTERN

TANK SIZE	CAPACITY	TANK SIZE	CAPACITY
30-19-15	15 gallon	46-24-17	40 gallon
30-19-19	25 gallon	46-24-20	50 gallon

## POLYTANK PRIMARY EXPANSION

TANK SIZE	CAPACITY
18-12-12	4 gallon
Polyred	4 gallon
X10/4 TANK	4 gallon
X10/4 LID	

## POLYTANK POLY A30

TANK SIZE	CAPACITY
XPA30 (POLY A30)	AB air gap

## POLYTANK POLYOIL

TANK SIZE	CAPACITY
1200SB	1200 litres

## POLYTANK SUNDRIES

ITEM DESCRIPTION	ITEM DESCRIPTION
J4 INSULATION JACKET	BYELAW 30 KIT
J25 INSULATION JACKET	POLYLID
J46 INSULATION JACKET	CIRCULAR LID 25
AIR ADMITTANCE VALVES	CIRCULAR LID 50

